

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

386	72			
	2			
	3001			
	9509384			
	39			
	0		2	
	0		50	
	5688		0	
	1		4	
	5		0	
	0 0000000 00110 001	1 0000001 01100 011		
	0 0000000 00110 001	1 0000010 01100 010		
	10			
	2			
	L	U	NUL	NUL

388			
Bytes in message			
Channel ID (assumed)			
Publisher ID (assumed)			
Publisher Session ID (assumed)			
Sequence number (assumed)			
unused	Number of subject fields		
Subject ID for #	Subject ID for SUBSCRIPTION		
Port number (assumed)	Subscription ID (assumed)		
Number of subject filter fields	Number of attribute tests		
Subject ID for >	padding to 4 bytes		
Encoding of price >=	Encoding of and symbol =		
Encoding of price >=	Encoding of and volume between		
Operand of price >=			
Size of operand of symbol ==			
Operand of symbol = = (2 characters + 2 bytes padding)			
Operand of price >=			
First operand of volume between			
Second operand of volume between			

FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23